Heredity **85** (2000) 630–633

Author index

Abel, Luciano D.S. *see* Mestriner, Carlos A.
Ågren, Jon *see* Alexandersson, Ronny
Agúndez, Dolores *see* Cogolludo-Agustín, Miguel Á.
Alexandersson, Ronny & Ågren, Jon. Genetic structure in the nonrewarding, bumblebee-pollinated orchid *Calypso bulbosa*, **401**
Alvarez, D. *see* Ruiz-Garcia, M.
Angarita, L. *see* Ruiz-Garcia, M.
Antonovics, Janis *see* Hood, Michael E.
Applebaum, Shalom W. *see* Zhou, Xiaofeng
Atkinson, P.W. *see* Morgan, D.J.W.

Backeljau, Thierry *see* Jordaens, Kurt
Baimai, Visut *see* Imwong, Mallika
Baker, Andrew M., Mather, Peter B. & Hughes, Jane M. Population genetic structure of Australian magpies: evidence for regional differences in juvenile dispersal behaviour, **167**
Barker, J.S.F. *see* Loeschcke, Volker
Barker, J.S.F. *see* Wolf, L.L.
Bartish, I.V., Rumpunen, K. & Nybom, H. Combined analyses of RAPDs, cpDNA and morphology demonstrate spontaneous hybridization in the plant genus *Chaenomeles*, **383**
Bazin, Claude *see* Capy, Pierre
Begun, David J. & Whitley, Penn. Genetics of α-amanitin resistance in a natural population of *Drosophila melanogaster*, **184**
Berger, André *see* Cheptou, Pierre-Oliver
Berrebi, P., Povz, M., Jesensek, D., Cattaneo-Berrebi, G. & Crivelli, A.J. The genetic diversity of native, stocked and hybrid populations of marble trout in the Soca River, Slovenia, **277**
Bever, James D. & Simms, Ellen L. Evolution of nitrogen fixation in spatially structured populations of *Rhizobium*, **366**
Biémont, Christian *see* Capy, Pierre
Bijlsma, R. *see* Van Der Velde, M.
Blanchard, Alain *see* Cheptou, Pierre-Oliver
Brakefield, Paul M. *see* Wijngaarden, Pieter J.
Branco, M., Ferrand, N. & Monnerot, M. Phylogeography of the European rabbit (Oryctolagos cuniculus) in the Iberian Peninsula inferred from RFLP analysis of the cytochrome b gene, **307**
Brown, Anthony H.D. & Young, Andrew G. Genetic diversity in tetraploid populations of the endangered daisy *Rutidosis leptorryhnchoides* and implications for its conservation, **122**
Brunet, Johanne & Mundt, Christopher C. Effects of competition of resistance gene polymorphism in a plant/pathogen system, **393**
Bryant, Edwin H. *see* Reed, David H.
Bundgaard, Jørgen *see* Loeschcke, Volker
Bunn, S.E. *see* Hughes, J.M.

Camacho, Juan P.M. *see* Mestriner, Carlos A.
Camacho, Juan Pedro M. *see* Néo, Daniela M.
Capanna, Ernesto *see* Castiglia, Riccardo
Capy, Pierre, Gasperi, Giuliano, Biémont, Christian & Bazin, Claude. Stress and transposable elements: co-evolution or useful parasites? **101**
Castiglia, Riccardo & Capanna, Ernesto. Contact zone between chromosomal races of *Mus musculus domesticus*. 2. Fertility and segregation in laboratory-reared and wild mice heterozygous for multiple Robertsonian rearrangements, **147**
Castro, Laureano *see* Serano, José M.
Cattaneo-Berrebi, G. *see* Berrebi, P.
Chasalow, Scott D. *see* Yin, Xinyou
Cheptou, Pierre-Oliver, Berger, André, Blanchard, Alain, Collin, Christian & Escarre, José. The effect of drought stress on inbreeding depression in four populations of the Mediterranean outcrossing plant *Crepis sancta* (Asteraceae), **294**
Christe, Philippe, Møller, Anders Pape, Saino, Nicola & De Lope, Florentino. Genetic and environmental components of phenotypic variation in immune response and body size of a colonial bird, *Delichon urbica* (the house martin), **75**
Chung, Mi Yoon *see* Chung, Myong Gi
Chung, Myong Gi, Chung, Mi Yoon, Oh, Gap Soo & Epperson, B.K. Spatial genetic structure in a *Neolitsea sericea* population (Lauraceae), **490**
Cleary, C. *see* Hughes, J.M.
Cogolludo-Agustín, Miguel Á., Agúndez, Dolores & Gil, Luis. Identification of native and hybrid elms in Spain using isozyme gene markers, **157**
Coll, Moshe *see* Zhou, Xiaofeng
Collin, Christian *see* Cheptou, Pierre-Oliver
Colomba, Maria S. *see* Vitturi, Roberto
Confalonieri, Viviana A. *see* Sequeira, Andrea S.
Cook, L.M. & Grant, B.S. Frequency of *insularia* during the decline in melanics in the peppered moth *Biston betularia* in Britain, **580**
Corley, R.H.V. *see* Mayes, S.
Crivelli, A.J. *see* Berrebi, P.

Heredity **85** (2000) 630–633

Author index

Abel, Luciano D.S. *see* Mestriner, Carlos A.
Ågren, Jon *see* Alexandersson, Ronny
Agúndez, Dolores *see* Cogolludo-Agustín, Miguel Á.
Alexandersson, Ronny & Ågren, Jon. Genetic structure in the nonrewarding, bumblebee-pollinated orchid *Calypso bulbosa*, **401**
Alvarez, D. *see* Ruiz-Garcia, M.
Angarita, L. *see* Ruiz-Garcia, M.
Antonovics, Janis *see* Hood, Michael E.
Applebaum, Shalom W. *see* Zhou, Xiaofeng
Atkinson, P.W. *see* Morgan, D.J.W.

Backeljau, Thierry *see* Jordaens, Kurt
Baimai, Visut *see* Imwong, Mallika
Baker, Andrew M., Mather, Peter B. & Hughes, Jane M. Population genetic structure of Australian magpies: evidence for regional differences in juvenile dispersal behaviour, **167**
Barker, J.S.F. *see* Loeschcke, Volker
Barker, J.S.F. *see* Wolf, L.L.
Bartish, I.V., Rumpunen, K. & Nybom, H. Combined analyses of RAPDs, cpDNA and morphology demonstrate spontaneous hybridization in the plant genus *Chaenomeles*, **383**
Bazin, Claude *see* Capy, Pierre
Begun, David J. & Whitley, Penn. Genetics of α-amanitin resistance in a natural population of *Drosophila melanogaster*, **184**
Berger, André *see* Cheptou, Pierre-Oliver
Berrebi, P., Povz, M., Jesensek, D., Cattaneo-Berrebi, G. & Crivelli, A.J. The genetic diversity of native, stocked and hybrid populations of marble trout in the Soca River, Slovenia, **277**
Bever, James D. & Simms, Ellen L. Evolution of nitrogen fixation in spatially structured populations of *Rhizobium*, **366**
Biémont, Christian *see* Capy, Pierre
Bijlsma, R. *see* Van Der Velde, M.
Blanchard, Alain *see* Cheptou, Pierre-Oliver
Brakefield, Paul M. *see* Wijngaarden, Pieter J.
Branco, M., Ferrand, N. & Monnerot, M. Phylogeography of the European rabbit (Oryctolagos cuniculus) in the Iberian Peninsula inferred from RFLP analysis of the cytochrome b gene, **307**
Brown, Anthony H.D. & Young, Andrew G. Genetic diversity in tetraploid populations of the endangered daisy *Rutidosis leptorryhnchoides* and implications for its conservation, **122**
Brunet, Johanne & Mundt, Christopher C. Effects of competition of resistance gene polymorphism in a plant/pathogen system, **393**
Bryant, Edwin H. *see* Reed, David H.
Bundgaard, Jørgen *see* Loeschcke, Volker
Bunn, S.E. *see* Hughes, J.M.

Camacho, Juan P.M. *see* Mestriner, Carlos A.
Camacho, Juan Pedro M. *see* Néo, Daniela M.
Capanna, Ernesto *see* Castiglia, Riccardo
Capy, Pierre, Gasperi, Giuliano, Biémont, Christian & Bazin, Claude. Stress and transposable elements: co-evolution or useful parasites? **101**
Castiglia, Riccardo & Capanna, Ernesto. Contact zone between chromosomal races of *Mus musculus domesticus*. 2. Fertility and segregation in laboratory-reared and wild mice heterozygous for multiple Robertsonian rearrangements, **147**
Castro, Laureano *see* Serano, José M.
Cattaneo-Berrebi, G. *see* Berrebi, P.
Chasalow, Scott D. *see* Yin, Xinyou
Cheptou, Pierre-Oliver, Berger, André, Blanchard, Alain, Collin, Christian & Escarre, José. The effect of drought stress on inbreeding depression in four populations of the Mediterranean outcrossing plant *Crepis sancta* (Asteraceae), **294**
Christe, Philippe, Møller, Anders Pape, Saino, Nicola & De Lope, Florentino. Genetic and environmental components of phenotypic variation in immune response and body size of a colonial bird, *Delichon urbica* (the house martin), **75**
Chung, Mi Yoon *see* Chung, Myong Gi
Chung, Myong Gi, Chung, Mi Yoon, Oh, Gap Soo & Epperson, B.K. Spatial genetic structure in a *Neolitsea sericea* population (Lauraceae), **490**
Cleary, C. *see* Hughes, J.M.
Cogolludo-Agustín, Miguel Á., Agúndez, Dolores & Gil, Luis. Identification of native and hybrid elms in Spain using isozyme gene markers, **157**
Coll, Moshe *see* Zhou, Xiaofeng
Collin, Christian *see* Cheptou, Pierre-Oliver
Colomba, Maria S. *see* Vitturi, Roberto
Confalonieri, Viviana A. *see* Sequeira, Andrea S.
Cook, L.M. & Grant, B.S. Frequency of *insularia* during the decline in melanics in the peppered moth *Biston betularia* in Britain, **580**
Corley, R.H.V. *see* Mayes, S.
Crivelli, A.J. *see* Berrebi, P.

Da Silva Leite, Domingos *see* Montenegro, Horácio
De Lope, Florentino *see* Christe, Philippe
Deunff, J. *see* Guillet, S.
Doan, Hahn *see* Whitkus, Richard
Dodd, Mike E. & Silvertown, Jonathan. Size-specific fecundity and the influence of lifetime size variation upon effective population size in *Abies balsamea*, **604**
Dourleijn, C. Johan *see* Yin, Xinyou

Ebert, Dieter *see* Little, Tom J.
Elias, M., Panaud, O. & Robert, T. Assessment of genetic variability in a traditional cassava (*Manihot esculenta* Crantz) farming system, using AFLP markers, **219**
Epperson, B.K. *see* Chung, Myong Gi
Escarre, José *see* Cheptou, Pierre-Oliver

Faktor, Ouriel *see* Zhou, Xiaofeng
Farrell, Brian D. *see* Sequeira, Andrea S.
Ferrand, N. *see* Branco, M.
Festa-Bianchet, Marco *see* Réale, Denis
Filho, Orlando M. *see* Néo, Daniela M.
Freeland, Joanna R., Romualdi, Chiara & Okamura, Beth. Gene flow and genetic diversity: a comparison of freshwater bryozoan populations in Europe and North America, **498**

Galetti, Pedro M. *see* Mestriner, Carlos A.
Gasperi, Giuliano *see* Capy, Pierre
Geenen, Sofie *see* Jordaens, Kurt
Gil, Luis *see* Cogolludo-Agustín, Miguel Á.
Godelle, Bernard *see* Vassiliadis, Christine
Godfray, H.C.J. *see* Green, D.M.
Gooding, R.H. *see* Mcintyre, G.S.
Gordon, Ian L. Quantitative genetics of allogamous F_2: an origin of randomly fertilized populations, **43**
Grahame, J. *see* Wilding, C.S.
Grant, B.S. *see* Cook, L.M.
Green, D.M., Kraaijeveld, A.R. & Godfray, H.C.J. Evolutionary interactions between *Drosophila melanogaster* and its parasitoid *Asobara tabida*, **450**
Guiller, A. *see* Guillet, S.
Guillet, S., Guiller, A., Deunff, J. & Vancassel, M. Analysis of a contact zone in the *Forficula auricularia* L. (Dermaptera: Forficulidae) species complex in the Pyrenean Mountains, **444**

Haanstra, Jair P.W., Thomas, Colwyn M., Jones, Jonathan D.G. & Lindhout, Pim. Dispersion of the *Cf-4* disease resistance gene in *Lycopersicon* germplasm, **266**
Haanstra-Van Der Meer, Jantine G. *see* Huang, Cai-Cheng
Hackett, Christine A., Wachira, Francis N., Paul, Satish, Powell, Wayne & Waugh, Robbie. Construction of a genetic linkage map for *Camellia sinensis* (tea), **346**
Hasson, Esteban *see* Norry, Fabian M.
Hedrick, Philip W. *see* Parker, Joel D.
Hedrick, Philip W., Lee, Rhonda N. & Parker, Karen M. Major histocompatibility complex (MHC) variation in the endangered Mexican wolf and related canids, **617**
Hernández Bermejo, J.Esteban *see* Martín, Juan Pedro
Hiscock, Simon J. Genetic control of self-incompatibility in *Senecio squalidus* L. (Asteraceae): a successful colonizing species, **10**
Hoefs-Van De Putte, Petra M. *see* Huang, Cai-Cheng
Hood, Michael E. & Antonovics, Janis. Intratetrad mating, heterozygosity, and the maintenance of deleterious alleles in *Microbotryum violaceum* (= *Ustilago violacea*), **231**
Huang, Cai-Cheng, Hoefs-Van De Putte, Petra M., Haanstra-Van Der Meer, Jantine G., Meijer-Dekens, Fien & Lindhout, Pim. Characterization and mapping of resistance to *Oidium lycopersicum* in two *Lycopersicon hirsutum* accessions: evidence for close linkage of two *Ol*-genes on chromosome 6 of tomato, **511**
Hughes, J.M., Bunn, S.E., Cleary, C. & Hurwood, D.A. A hierarchical analysis of the genetic structure of an aquatic insect *Bungona* (Baetidae: Ephemeroptera), **561**
Hughes, Jane M. *see* Baker, Andrew M.
Hurwood, D.A. *see* Hughes, J.M.

Imwong, Mallika, Sharpe, Rosie G., Kittayapong, Pattamaporn & Baimai, Visut. Distribution of the transposable element mariner in anopheline mosquitos, **271**
Ishikawa, Hajime *see* Sasaki, Tetsuhiko

Jack, P.L. *see* Mayes, S.
Jesensek, D. *see* Berrebi, P.
Johnston, Mark O. *see* Simons, Andrew M.
Jones, Jonathan D.G. *see* Haanstra, Jair P.W.
Jordaens, Kurt, Geenen, Sofie, Reise, Heike, Van Riel, Patrick, Verhagen, Ron & Backeljau, Thierry. Is there a geographic pattern in the breeding system of a complex of hermaphroditic slugs (Mollusca: Gastropoda: *Carinarion*)? **571**

Kittayapong, Pattamaporn *see* Imwong, Mallika
Klaczko, Louis B. *see* Montenegro, Horácio
Kocher, Thomas D. *see* Koh, Hung Sun
Koh, Hung Sun, Lee, Woo-Jai & Kocher, Thomas D. The genetic relationships of two subspecies of striped field mice, *Apodemus agrarius coreae* and *Apodemus agrarius chejuensis*, **30**
Kraaijeveld, A.R. *see* Green, D.M.
Kropff, Martin J. *see* Yin, Xinyou
Kuiper, M. *see* Vuylsteke, M.

Lanteri, Analia A. *see* Sequeira, Andrea S.
Laudet, Vincent *see* Voss, S.Randal
Lee, Rhonda N. *see* Hedrick, Philip W.

Lee, S.L. Mating system parameters of *Dryobalanops aromatica* Gaertn. f. (Dipterocarpaceae) in three different forest types and a seed orchard, **338**
Lee, Woo-Jai *see* Koh, Hung Sun
Libertini, Angelo *see* Vitturi, Roberto
Lindhout, Pim *see* Haanstra, Jair P.W.
Lindhout, Pim *see* Huang, Cai-Cheng
Little, Tom J. & Ebert, Dieter. Sex, linkage disequilibrium and patterns of parasitism in three species of cyclically parthenogenetic *Daphnia* (Cladocera: Crustacea), **257**
Liu, Fu-Hua & Smith, Sandy M. Estimating quantitative genetic parameters in haplodiploid organisms, **373**
Loeschcke, Volker, Bundgaard, Jørgen & Barker, J.S.F. Variation in body size and life history traits in *Drosophila aldrichi* and *D. buzzati* from a latitudinal cline in eastern Australia, **423**
Lopez, Gustavo A., Potts, Bradley M. & Tilyard, Paul A. F_1 hybrid inviability in *Eucalyptus*: the case of *E. ovata* x *E. globulus*, **242**
López-Fanjul, Carlos *see* Serano, José M.
Lowrey, Timothy K. *see* Whitkus, Richard

Martín, Juan Pedro & Hernández Bermejo, J. Esteban. Genetic variation in the endemic and endangered *Rosmarinus tomentosus* Huber-Morath and Maire (*Labiatae*) using RAPD markers, **434**
Mather, Peter B. *see* Baker, Andrew M.
Mayes, S., Jack, P.L. & Corley, R.H.V. The use of molecular markers to investigate the genetic structure of an oil palm breeding programme, **288**
Mcintyre, G.S. & Gooding, R.H. Effects of maternal age on larval competitiveness in house flies, **480**
Meijer-Dekens, Fien *see* Huang, Cai-Cheng
Merçot, Hervé *see* Poinsot, Denis
Mestriner, Carlos A, Galetti, Pedro M., Valentini, Sandro R., Ruiz, Itamar R.G., Abel, Luciano D.S., Moreira-Filho, Orlando & Camacho, Juan P.M. Structural and functional evidence that a B chromosome in the characid fish *Astyanax scabripinnis* is an isochromosome, **1**
Mill, P.J. *see* Wilding, C.S.
Møller, Anders Pape *see* Christe, Philippe
Monnerot, M. *see* Branco, M.
Montchamp-Moreau, Catherine *see* Poinsot, Denis
Montenegro, Horácio, Souza, Wilma N., Da Silva Leite, Domingos & Klaczko, Louis B. Male-killing selfish cytoplasmic element causes sex-ratio distortion in *Drosophila melanogaster*, **465**
Montilla, M. *see* Ruiz-Garcia, M.
Moreira-Filho, Orlando *see* Mestriner, Carlos A.
Morgan, D.J.W., Reitz, S.R., Atkinson, P.W. & Trumble, J.T. The resolution of Californian populations of *Liriomyza huidobrensis* and *Liriomyza trifolii* (Diptera: Agromyzidae) using PCR, **53**
Morgan-Richards, Mary, Trewick, Steven A. & Wallis, Graham P. Characterization of a hybrid zone between two chromosomal races of the weta *Hemideina thoracica* following a geologically recent volcanic eruption, **586**
Mundt, Christopher C. *see* Brunet, Johanne

Néo, Daniela M., Filho, Orlando M. & Camacho, Juan Pedro M. Altitudinal variation for B chromosome frequency in the characid fish *Astyanax scabripinnis*, **136**
Nicholls, S.O. *see* Ruiz-Garcia, M.
Nilsson, Nils-Otto *see* Rognli, Odd Arne
Norry, Fabian M., Vilardi, Juan C. & Hasson, Esteban. Negative genetic correlation between traits of the *Drosophila* head, and inter specific divergence in head shape, **177**
Nurminiemi, Minna *see* Rognli, Odd Arne
Nybom, H. *see* Bartish, I.V.

Oh, Gap Soo *see* Chung, Myong Gi
Okamura, Beth *see* Freeland, Joanna R.

Panaud, O. *see* Elias, M.
Parker, Joel D. & Hedrick, Philip W. Gene flow and selection balance in haplodiploid social insects, **530**
Parker, Karen M. *see* Hedrick, Philip W.
Paul, Satish *see* Hackett, Christine A.
Pirrone, Anna *see* Vitturi, Roberto
Poinsot, Denis, Montchamp-Moreau, Catherine & Merçot, Hervé. *Wolbachia* segregation rate in *Drosophila simulans* naturally bi-infected cytoplasmic lineages, **191**
Polak, M. *see* Wolf, L.L.
Potts, Bradley M. *see* Lopez, Gustavo A.
Povz, M. *see* Berrebi, P.
Powell, Wayne *see* Hackett, Christine A.

Réale, Denis & Festa-Bianchet, Marco. Quantitative genetics of life-history traits in a long-lived wild mammal, **593**
Reed, David H. & Bryant, Edwin H. The evolution of senescence under curtailed life-span in laboratory populations of *Musca domestica* (the housefly), **115**
Reise, Heike *see* Jordaens, Kurt
Reitz, S.R. *see* Morgan, D.J.W.
Reusch, Thorsten B.H. Pollination in the marine realm: microsatellites reveal high outcrossing rates and multiple paternity in eelgrass *Zostera marina*, **459**
Robert, T. *see* Elias, M.
Rognli, Odd Arne, Nilsson, Nils-Otto & Nurminiemi, Minna. Effects of distance and pollen competition on gene flow in the wind-pollinated grass *Festuca pratensis* Huds, **550**
Romualdi, Chiara *see* Freeland, Joanna R.
Ruiz, Itamar R.G. *see* Mestriner, Carlos A.
Ruiz-Garcia, M., Montilla, M., Nicholls, S.O., Angarita, L. & Alvarez, D. Genetic relationships and spatial genetic

structure among clonal stocks of *Trypanosoma cruzi* in Columbia, **318**
Rumpunen, K. *see* Bartish, I.V.

Safi, Rachid *see* Voss, S. Randal
Saino, Nicola *see* Christe, Philippe
Sasaki, Tetsuhiko & Ishikawa, Hajime. Transinfection of *Wolbachia* in the Mediterranean Flour Moth, *Ephestia kuehniella*, by Embryonic Microinjection, **130**
Saumitou-Laprade, Pierre *see* Vassiliadis, Christine
Scataglini, Amalia M. *see* Sequeira, Andrea S.
Schaffer, Bradley H. *see* Voss, Randal. S
Schlötterer, Christian. Microsatelite analysis indicates genetic differentiation of the neo-sex chromosomes in *Drosophila americana americana*, **610**
Sequeira, Andrea S., Lanteri, Analia A., Scataglini, M.Amalia, Confalonieri, Viviana A. & Farrell, Brian D. Are flightless *Galapaganus* weevils older than the Galápagos Islands they inhabit? **20**
Serano, José M., Castro, Laureano, Toro, Miguel A. & López-Fanjul, Carlos. Inter- and intraspecific sexual discrimination in the flour beetles *Tribolium castaneum* and *Tribolium confusum*, **142**
Sharpe, Rosie G. *see* Imwong, Mallika
Shimizu, Yuichiro & Ueshima, Rei. Historical biogeography and interspecific mtDNA introgression in *Euhadra peliomphala* (the Japanese land snail), **84**
Silvertown, Jonathan *see* Dodd, Mike E.
Simms, Ellen L. *see* Bever, James D.
Simons, Andrew M. & Johnston, Mark O. Plasticity and the genetics of reproductive behaviour in the monocarpic perennial, *Lobelia inflata* (Indian tobacco), **356**
Smith, Sandy M. *see* Liu, Fu-Hua
Souza, Wilma N. *see* Montenegro, Horácio
Stam, P. *see* Vuylsteke, M.
Stam, Piet *see* Yin, Xinyou
Starmer, W.T. *see* Wolf, L.L.

Taylor, Jessica *see* Voss, S.Randal
Thomas, Colwyn M. *see* Haanstra, Jair P.W.
Tilyard, Paul A. *see* Lopez, Gustavo A.
Toro, Miguel A. *see* Serano, José M.
Trewick, Steven A. *see* Morgan-Richards, Mary
Trumble, J.T. *see* Morgan, D.J.W.

Ueshima, Rei *see* Shimizu, Yuichiro

Valentini, Sandro R. *see* Mestriner, Carlos A.
Valero, Myriam *see* Vassiliadis, Christine
Van Der Velde, M. & Bijlsma, R. Amount and structure of intra- and interspecific genetic variation in the moss genus *Polytrichum*, **328**
Van Riel, Patrick *see* Jordaens, Kurt
Vancassel, M. *see* Guillet, S.
Vassiliadis, Christine, Valero, Myriam, Saumitou-Laprade, Pierre & Godelle, Bernard. A model for the evolution of high frequencies of males in an androdioecious plant based on a cross-compatibility advantage of males, **413**
Verhagen, Ron *see* Jordaens, Kurt
Vilardi, Juan C. *see* Norry, Fabian M.
Vitturi, Roberto, Colomba, Maria S., Pirrone, Anna & Libertini, Angelo. Physical mapping of rDNA genes, $(TTAGGG)_n$ telomeric sequence and other karyological features in two earthworms of the family Lumbricidae (Annelida: Oligochaeta), **203**
Voss, Randal S., Schaffer, Bradley H., Taylor, Jessica, Safi, Rachid & Laudet, Vincent. Candidate gene analysis of thyroid hormone receptors in metamorphosing vs. non-metamorphosing salamanders, **107**
Vuylsteke, M., Kuiper, M. & Stam, P. Chromosomal regions involved in hybrid performance and heterosis: their AFLP®-based identification and practical use in prediction models, **208**

Wachira, Francis N. *see* Hackett, Christine A.
Wallis, Graham P. *see* Morgan-Richards, Mary
Waugh, Robbie *see* Hackett, Christine A.
Whitkus, Richard, Doan, Hahn & Lowrey, Timothy K. Genetics of adaptive radiation in Hawaiian species of *Tetramolopium* (Asteraceae). III. Evolutionary genetics of sex expression, **37**
Whitley, Penn *see* Begun, David J.
Wijngaarden, Pieter J. & Brakefield, Paul M. The genetic basis of eyespot size in the butterfly *Bicyclus anynana*: an analysis of line crosses, **471**
Wilding, C.S., Grahame, J. & Mill, P.J. Mitochondrial DNA CoI haplotype variation in sibling species of rough periwinkles, **62**
Wolf, L.L., Starmer, W.T., Polak, M. & Barker, J.S.F. Genetic architecture of a wing size measure in *Drosophila hibisci* from two populations in eastern Australia, **521**

Yin, Xinyou, Chasalow, Scott D., Dourleijn, C. Johan, Stam, Piet & Kropff, Martin J. Coupling estimated effects of QTLs for physiological traits to a crop growth model: predicting yield variation among recombinant inbred lines in barley, **539**
Young, Andrew G. *see* Brown, Anthony H.D.

Zhou, Xiaofeng, Faktor, Ouriel, Applebaum, Shalom W. & Coll, Moshe. Population structure of the pestiferous moth *Helicoverpa armigera* in the eastern Mediteranean using RAPD analysis, **251**

Heredity **85** (2000) 634–637

Keyword index

Astyanax scabripinnis, **1**
Abies balsamea, **604**
absolute fitness, **393**
adaptation, **101**
adaptive radiation, **37**
adaptive variation, **617**
additive variance, **75**
AFLP, **208, 219**
ageing, **480**
allelic richness, **122**
allelism test, **511**
allozyme polymorphism, **122**
allozymes, **166, 277, 328, 338, 444, 490, 550, 561, 571**
Ambystoma, **107**
androdioecy, **413**
Apodemus, **30**
Asteraceae, **10**
Astyanax scabripinnis, **136**
Australian magpie, **166**
automixis, **231**
autotetraploidy, **122**

B chromosomes, **1, 136**
barley, **539**
between-population variation, **294**
Bicyclus anynana, **471**
bighorn sheep, **593**
bi-infection, **190**
biogeography, **84**
bird, **166**
Biston bitularia, **580**
bolting behaviour, **356**
breeding system, **37, 571**
bryophytes, **328**
butterfly eyespots, **471**

Camellia, **346**
cassava, **219**
Castle–Wright estimator, **471**
Cf-11, **266**
Cf-13, **266**
Cf-4, **266**
Cf-8, **266**
Chaenomeles, **383**
chromosomal evolution, **147**
chromosomal races, **586**
Cladosporium fulvum, **266**
clonal structure, **318**
clone, **257**
cluster analysis, **346**
coevolution, **366, 450**
Colombia, **318**
coloniality, **75**
colonizer, **10**
competition, **393**
conservation, **277, 434**
conservation genetics, **122**
cpDNA, **383**
Crepis sancta, **294**
crop growth model, **539**
cytochrome b, **307**
cytochrome oxidase I, **20**
cytoplasmic effects, **471**
cytoplasmic incompatibility, **130**
cytoplasmic inheritance, **465**

D. a. texana, **610**
deceptive pollination, **401**
developmental temperature, **423**
developmentally related traits, **176**
diagnostics, **346**
Dipterocarpaceae, **338**
dispersal, **166**
DNA sequences, **20**
dogs, **617**
domestication, **219**
drift, **604**
Drosophila, **450**
Drosophila head, **176**
Drosophila hibisci, **521**
Drosophila simulans, **190**
drought stress, **294**
Dryobalanops aromatica, **338**

earthworm chromosomes, **203**
ecological genetics, **521**
effective population size, **604**
Elaeis guineensis, **288**
embryonic microinjection, **130**
encapsulation, **450**
endangered species, **434**
endosymbiosis, **190**
endozoochory, **490**
environmental variance, **75**
Ephestia kuehniella, **130**
epistasis, **521**
Eucalyptus globulus, **242**
Eucalyptus ovata, **242**

Euhadra peliomphala, **84**
European rabbit, **307**
evolution, **101, 183, 413**
experimental design, **373**

F2, **43**
fecundity variation, **604**
female-sterility, **413**
fir waves, **604**
FISH, **1, 203**
flowering time, **356**
fluctuating asymmetry, **423**
Forficula auricularia, **444**
freshwater bryozoans, **498**
F-statistics, **401**

gene flow, **166, 251, 498, 530, 550**
genetic advance, **43**
genetic conservation, **157**
genetic correlation matrix, **521**
genetic differentiation, **328**
genetic diversity, **157, 288, 498**
genetic load, **231**
genetic markers, **53, 550**
genetic parameters, **373**
genetic polymorphism, **393**
genetic structure, **561, 586**
genetic variability, **219**
genetic variance, **593, 43**
genetic variation, **328**
genetic/phenotypic correlations, **593**
glaciations, **307**
glucosephosphate isomerase, **122**

haplodiploid, **530**
haplodiploid species, **373**
Helicoverpa armigera, **251**
heritabilities, **43**
heritability, **75, 356**
hermaphroditic slugs, **571**
heterochromatin, **1, 136**
heterosis, **208**
heterozygosity, **231, 617**
hierarchical analysis, **561**
homosexual mounting, **142**
homozygous multilocus genotypes, **571**
Hordeum vulgare L., **539**
horizontal transfer, **271**
host–pathogen system, **231**
house mouse, **147**
housefly, **115**
hybrid fitness, **242**
hybrid performance, **208**
hybrid zone, **586**
hybridization, **62, 157, 242, 277**
hydrophily, **459**
Hymenoptera, **530**

Iberian Peninsula, **307**
inbreeding, **43, 242**
inbreeding depression, **294**
industrial melanism, **580**
insularia, **580**
interspecific divergence, **176**
interspecific hybridization, **383**
intraspecific variation, **30**
island biogeography, **20**
isochromosome, **1, 136**
isozymes, **157**

Kapur, **338**
kin-selection, **366**

land snail, **84**
larval competition, **480**
latitudinal variation, **423**
leafminer, **53**
life-history, **115**
life-history evolution, **356**
lineage sorting, **62**
line-cross analysis, **521**
linkage, **346**
linkage disequilibrium, **257, 393**
Liriomyza huidobrensis, **53**
Liriomyza trifolii, **53**
litter size, **147**
littorina, **62**
longevity, **593**
Lycopersicon hirsutum, **511**

Maloideae, **383**
malsegregation, **147**
Manihot, **219**
mapping, **346**
marble trout, **277**
mariner, **271**
maternal effects, **480**
mating system, **338**
mayfly, **561**
Mdr65A, **183**
meadow fescue, **550**
meiotic pathenogenesis, **231**
meiotic segregation, **147**
metamorphic failure, **107**
metamorphosis, **107**
microsatellites, **459, 498, 586, 610**
migration, **251, 530**
mitochondrial DNA, **62, 166**

mitochondrial haplotypes, **498**
Moran's I, **490**
morphology, **176, 383**
mtDNA, **444, 586**
mtDNA introgression, **84**
mtDNA species, **30**
multidrug resistance, **183**
multiple alleles, **580**
Musca domestica, **480**
mutualism, **366**

negative genetic correlation, **176**
Neolitsea sericea, **490**
neo-Y, **610**
nitrogen-fixation, **366**

oil palm, **288**
Orchidaceae, **401**
Orthoptera, **586**
Oryctolagos cuniculus, **307**
outbreeder, **346**
outcrossing rate, **459**

parasites, **75, 257**
parasitoid, **450**
parthenogenesis, **257**
peppered moth, **580**
P-glycoprotein, **183**
phenotypic correlation, **176**
phenotypic plasticity, **356, 423**
phylogenetic tree, **617**
phylogeny, **30**
phylogeography, **62, 307, 498**
Pleistocene, **84**
pollen dispersal, **550**
Polytrichum, **328**
population, **183**
population differentiation, **401**
population genetic structure, **84, 434**
population genetics, **251, 318, 571**
population size structure, **604**
post-glacial recolonization, **62**
powdery mildew, **511**
precopulatory isolation mechanisms, **142**
primiparity, **593**
progression rule, **20**
pseudo-self-compatibility, **10**

QTL, **37, 208**
QTL mapping, **539**

random fertilization, **43**
RAPD, **251, 383, 434**
RAPD-PCR, **53**
Rb fusion, **147**
recombinant inbred line, **539**
relatedness, **459**
repetitive DNA genes, **203**
reproduction, **413**
reproductive isolation, **242**
reproductive success, **593**
resistance, **257, 266, 450**
resistance genes, **393, 511**
RFLP, **288**
Rosmarinus tomentosus, **434**

satellite DNA, **1**
seed dispersal, **490**
segregation, **190**
selection, **183, 530, 580**
self fertilization, **231**
self-incompatibility, **10, 413**
selfing, **459**
Senecio, **10**
senescence, **115**
sex chromosomes, **610**
sex expression, **37**
sex ratio, **465**
sex-linkage, **471**
sexual reproduction, **257**
sibling species, **444**
Slovenia, **277**
Solenopsis invicta, **530**
spatial genetic structure, **490**
spatial structure, **366**
speciation, **20**
species differentiation, **328**
Spiroplasma, **465**
SRO, **465**
stress, **101**
substitution rate, **617**
symbiosis, **366**
sympatry, **444**

T cell response, **75**
taxon cycle, **20**
tester strains, **480**
Tetramolopium, **37**
tetrasomic inheritance, **122**
Thailand, **271**
thorax size, **423**
threshold traits, **356**
thyroid hormone, **107**
thyroid hormone receptor, **107**
tomato, **511**
traditional farming, **219**
transgenic mosquitos, **271**
transposable elements, **101**

transposon, **271**
Tribolium, **142**
tropical rain forest, **338**
Trypanosoma cruzi, **318**

Ulmus minor, **157**
Ulmus pumila, **157**

virulence, **450**

wing size, **423**
wing width, **521**
Wolbachia, **130, 190**

yield, **539**

Zea mays, **208**
Zostera marina, **459**

© The Genetical Society of Great Britain, *Heredity*, **85**, 634–637.